


bose cinemate ii manual



File Name: bose cinemate ii manual.pdf

Size: 3734 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 22 May 2019, 13:41 PM

Rating: 4.6/5 from 661 votes.

Status: AVAILABLE

Last checked: 9 Minutes ago!

In order to read or download bose cinemate ii manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bose cinemate ii manual . To get started finding bose cinemate ii manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bose cinemate ii manual

No part of this work may be reproduced, modified, distributed, or otherwise used without prior written permission. If any part of the system appears damaged, do not try to use it. Your TV may have an optical connector, analog RCA connectors, or both. When your higher sound quality. CAUTION Bose recommends using a safety agency approved surge protector on all electronic equipment. Voltage variations and spikes can damage electronic. The batteries go into the compartment on the back of the remote. The bass control knob is set at the factory to the middle position. It also controls the audio volume. Note The menu and program selection buttons will CBLSAT source must be selected. Refer to page ii for series II remote battery safety instructions. See "Turning off the TV internal speakers" on page 11. Refer to the address sheet included with the CineMate system. No part of this work may be reproduced, modified, distributed, or otherwise used without prior written transferable warranty. Details of the limited warranty permission. Framingham, MA 017019168 USA 3246110010 AM324611 Rev.00. We believe that this process will enhance your appreciation of the product you select. Powered component speakers have a one year 2. Return product with proof of purchase from an authorized Bose dealer to a Bose Limited Warranty term for the electronics and five years for the speakers. The Headset Service Agency. If you would like to change the way you hear from us, please visit www.bose.com/preferences or call 18007365076 to update your communication preferences. 08 Please do not share my information with other companies for marketing purposes. Learn more or change settings here. Just type your request below Quick tip Try searching for just one or two words e.g., connection help. Ask your question here. Provide a clear and comprehensive description of the issue and your question. <http://www.gamainvest.sk/images/data/colt-defender-series-90-manual.xml>

- **bose cinemate ii manual, bose cinemate ii manual pdf, bose cinemate 2 manual, bose cinemate series ii manual, bose cinemate gs series ii manual, bose cinemate gs series ii service manual, bose cinemate series ii manual pdf, bose cinemate gs ii manual, bose cinemate series 2 manual, bose cinemate ii manual, bose cinemate ii manual, bose cinemate ii manual, bose cinemate gs ii manual, bose cinemate series ii manual.**

The more detail you provide for your issue and question, the easier it will be for other Bose CineMate GS Series II owners to properly answer your question. Ask a question About the Bose CineMate GS Series II This manual comes under the category Speakers and has been rated by 1 people with an average of a 7.1. This manual is available in the following languages English, French, Spanish, Portuguese. Do you have a question about the Bose CineMate GS Series II or do you need help. Ask your question here Bose CineMate GS Series II specifications Brand The distance between the two devices that exchange data can in most cases be no more than ten metres. When the volume exceeds 120 decibels, direct damage can even occur. The chance of hearing damage depends on the listening frequency and duration. This makes it possible to create a 5.1 effect with only 1 speaker. ManualSearcher.com ensures that you will find the manual you are looking for in no time. Our database contains more than 1 million PDF manuals from more than 10,000 brands. Every day we add the latest manuals so that you will always find the product you are looking for. Its very simple just type the brand name and the type of product in the search bar and you can instantly view the manual of your choice online for free. ManualSearcher.com If you continue to use this site we will assume that you are happy with it. Read more Ok. Please save this guide for future reference. WARNING To reduce the risk of fire or electrical shock, do not expose the product to rain or moisture. WARNING Do not expose this apparatus to dripping or splashing, and do not place objects

filled with liquids, such as vases, on or near the apparatus. As with any electronic products, use care not to spill liquids into any part of the system. <http://www.heimatforschung-marktleuthen.de/lexikon/bilder/colt-defender-owners-manual.xml>

WARNING The lightning flash with arrowhead symbol within an equilateral triangle alerts the user to the presence of uninsulated, dangerous voltage within the system enclosure that may be of sufficient magnitude to constitute a risk of electrical shock. The exclamation point within an equilateral triangle, as marked on the system, is intended to alert the user to the presence of important operating and maintenance instructions in this owner's guide. **CAUTION** Make no modifications to the system or accessories. Unauthorized alterations may compromise safety, regulatory compliance, and system performance. **WARNING** Keep the remote control battery away from children. It may cause a fire or chemical burn if mishandled. Do not recharge, disassemble, heat above 100°C (212°F), or incinerate. Dispose of used batteries promptly. Replace only with a battery of the correct type and model number. **WARNING** Danger of explosion if battery is incorrectly replaced. CineMate series II remote—Replace only with Dura cell, Eveready, Energizer, Maxell, Toshiba, or Shun Wo CR2032 or DL2032 3-volt lithium battery. Please dispose of used batteries properly, following any local regulations. Do not incinerate. **WARNING** Do not place any naked flame sources, such as lighted candles, on or near the apparatus. Note This product must be used indoors. It is neither designed or tested for use outdoors, in recreation vehicles, or on boats. Additional Safety Information See the additional instructions on the Important Safety Instructions sheet North America only enclosed in the shipping carton. For your records The serial number is located on the rear of the Acoustimass module. Setup help The CineMate system easily connects to your TV and other home theater equipment. If any part of the system appears damaged, do not try to use it. Notify Bose or your authorized Bose dealer immediately.

WARNING To avoid danger of suffocation, keep the plastic bags out of the reach of children. Copy that number in the space provided on page ii for easy reference when registering your system. CineMate series II speakers OR. Acoustimass module. Small rubber feet Large rubber feet CineMate series II remote OR. CineMate GS series II remote. Peel the protective film off the lens on the front of the interface module. Note The remote should have a clear line of sight to the interface module, the TV, and any other equipment it will control. **CAUTION** When positioning the interface module, avoid blocking any ventilation openings on the TV or other electronic equipment. If your TV has both types of output connectors, you should use the optical connector. Using the optical connection gives you the highest quality digital sound. Note To receive the highest quality digital sound from the sources connected to your TV, connect those devices to your TV using an HDMI cable. When your TV is connected to the optical input on the interface module, the analog input cannot be used as a second audio input. Connecting analog audio If your TV is not equipped with an optical connector, use the supplied stereo audio cable to connect from your TV audio output connectors to the interface module ANALOG IN connectors. The stereo audio cable has two RCA connectors at each end, one red and one white. It connects to left L and right R audio outputs on the rear panel of your TV and the interface module. If your TV provides both fixed FIX and variable VAR audio output connectors, use the fixed connectors for higher sound quality. Be sure to select Fixed in the setup menu of your TV. Your TV may have an onscreen audio menu that includes an option for turning the TV speakers on or off. Turning off the TV internal speakers Newer TVs normally have a setup menu item for turning off speakers. Using a TV setup menu 1.

Use your TV remote to display the audio menu on your TV screen. 2. Locate the menu item to turn your speakers on or off and select Off. If your TV does not have a menu setting for turning off the internal speakers, exit the audio menu and reduce the TV volume to its lowest setting. Voltage variations and spikes can damage electronic components in any system. Note The CineMate series

The remote control only operates your CineMate series II system. Using the remote to control the CineMate system When you point the remote control at the interface module and press a button, the green LED on the interface module flashes. Press On/Off to turn on the CineMate system. Press again to turn the system off. Press Volume Up to raise the volume. When maximum volume is reached, the green LED on the interface module flashes twice. Press Volume Down to reduce the volume. When the minimum volume is reached, the green LED on the interface module flashes twice. Press Mute to silence the audio. Press Mute again to restore the audio. Press again to turn the system off. Press Volume Up to raise the volume. When maximum volume is reached, the green LED on the interface module flashes twice. Press Volume Down to reduce the volume. When the minimum volume is reached, the green LED on the interface module flashes twice. Press Mute to silence the audio. Press again to restore the audio. When the system is muted, the green LED on the interface module flashes until audio is restored. Setting the remote for your TV and other devices To use the remote with your TV, you must set the remote for the proper TV device code. 1. Locate the TV section in the Universal Remote Device Codes book. 2. Locate the device codes for your brand of TV and start with the first one. 3. Press and hold Setup on the remote until all five source buttons light up. 4. Press the TV source button. Only the TV source button will remain lit. 5.

On the remote keypad, enter the first device code for your brand of TV. 6. Check that the TV source button blinks twice and turns off after the code is entered. 7. Point the remote at your TV and press TV On/Off. If your TV does not respond, go back to Step 1 and try another code. Note During programming, the five source buttons will flash rapidly three times if you press an invalid key or enter an unavailable device code. The green LED on the front of the interface module will light. 2. Press the TV source button. The button will flash to indicate that the remote control is in TV mode. 3. Use the remote to select a channel and navigate menus. In addition to controlling TV functions, the remote will control the basic CineMate speaker functions, such as turning on the speaker system, changing the volume, and muting or turning off the speaker system. The button will flash to indicate that the remote control is in DVD mode. 4. Use the remote to control play options and navigate DVD menus. In addition to controlling DVD functions, the remote will always control the basic CineMate speaker functions, such as turning on the speaker system, changing the volume, and muting or turning off the speaker system. These inputs are commonly labeled TV, Video 1, Video 2, and AUX on the back of the TV. If you have multiple inputs connected to your TV, you may need to press this button several times to find the correct input. Switching control from one device to another The source buttons light up when selected to indicate which source the remote is currently controlling. You can easily switch control from one device to another by pressing the source button that corresponds with the source you want to control. Some features may not be supported by your brand. The source that will record a program VCR or DVR must be selected. Teletext buttons Operate only Turns on the Teletext feature if supported.

Turns off the Teletext feature if supported. Expands Teletext top. Press again to expand Teletext bottom. Refer to page ii for battery safety instructions. Be sure to dispose of the batteries according to the regulations in your area. 3. Insert two AA IECR6 1.5V batteries, or the equivalent. See "Selecting the TV input" on page 20. Find your device and brand in the Universal Device Codes book. Try programming another code, then check the device for improved functionality. Please refer to the card for instructions on how to register. Failure to register will not affect your limited warranty rights. Cartons not bearing a return authorization number, where required, will be refused. No part of this work may be reproduced, modified, distributed, or otherwise used without prior written permission. Manufactured under license from Dolby Laboratories. "Dolby" and the double D symbol are trademarks of Dolby Laboratories. All rights reserved. This product contains one or more programs protected under international and U.S. copyright laws as unpublished works. They are confidential and proprietary to Dolby Laboratories.

All rights reserved. MPEG Layer 3 audio compression technology licensed by Fraunhofer IIS and THOMSON multimedia. Post your question here in this forum. We're committed to dealing with such abuse according to the laws in your country of residence. When you submit a report, we'll investigate it and take the appropriate action. We'll get back to you only if we require additional details or have more information to share. Note that email addresses and full names are not considered private information. Please mention this; Therefore, avoid filling in personal details. Please enter your email address. It will help you set up and operate your system properly and enjoy all of its advanced features. Please save this guide for future reference. Save all packing materials, which provide the safest way to transport your system.

If any part of the system appears damaged, do not try to use it. Notify Bose or your authorized Bose dealer immediately. Your TV may have an optical connector, analog RCA connectors, or both. If your TV has both types of output connectors, you should use the optical connector. Continue with 6 on the next page. The batteries go into the compartment on the back of the remote. The bass control knob is set at the factory to the middle position. It also controls the audio volume. Press On/Off to turn on the CineMate speaker system. Press again to turn the system off. Note The functionality of the play options buttons may vary depending on the brand of your devices. Some features may not be supported by your brand. Cablespecific buttons These buttons operate cablespecific functions if supported. Refer to page ii for battery safety instructions. Alkaline batteries are recommended. See "Selecting the TV input" on page 20. Details of the limited warranty are provided on the product registration card that is included in the carton. Please refer to the card for instructions on how to register. Left. Interface module. Right. Note Keep in mind that the Acoustimass module is the only part of this system that connects to a power outlet. Netherlands. Svenska SYSTEM SETUP What you need to use. Speaker cable Fastener screws Netherlands. Svenska SYSTEM SETUP What you need to use. Fastener screws Interface module. Note To receive the highest quality digital sound from the sources connected to your TV, connect those devices to your TV using an HDMI cable. What you need to use. Interface module. Connecting optical audio. Your TV may have an onscreen audio menu that includes an option for turning the TV speakers on or off. Netherlands. English What you need to use. Netherlands. Svenska SYSTEM SETUP. Netherlands. English Svenska English. The CineMate series II remote control turns the power to your system on and off. It also controls the audio volume. Using the remote to control the CineMate system.

When you point the remote control at the interface module and press the On/Off, Volume, or Mute button, the green LED on the interface module flashes. Press On/Off to turn on the CineMate speaker system. Press again to turn the system off. The button will flash to indicate that the remote control is in DVD mode. 4. Use the remote to control play options and navigate DVD menus. Some features may not be supported by your brand. Netherlands. English. Cablespecific buttons. These buttons operate cablespecific functions if supported. TeleText buttons Europe only. Netherlands. Svenska. Replace the battery when the remote battery and replace with a new battery CR2032 or DL2032. Refer to page ii for battery safety instructions. English. Replace both batteries when the remote place. AA batteries 2. Cleaning your speaker system. Sound is coming from the TV. Customer service. Please refer to the card for instructions on how to register. Failure to register will not affect your limited warranty rights. Copyright and licenses. Giv en klar og omfattende beskrivelse af problemet og dit spørgsmål. Jo flere oplysninger du giver om dit problem og dit spørgsmål, jo lettere er det for andre Bose CineMate GS Series II ejere at svare korrekt på dit spørgsmål. Stil et spørgsmål Om Bose CineMate GS Series II Denne vejledning hører under kategorien Højttalere og er blevet bedømt af 1 personer med et gennemsnit på en 7.1. Denne manual er tilgængelig på følgende sprog Engelsk, Fransk, Spansk, Portugisisk. Har du et spørgsmål om Bose CineMate GS Series II eller har du brug for hjælp Stil dit spørgsmål her Bose CineMate GS Series II specifikationer Mrke Hvis støjniveauet er over 120 decibel, kan der endda opstå direkte skader. Risikoen for høreskader afhænger af lyttefrekvensen og varigheden. Dette gør det muligt at skabe en 5.1 effekt med

kun 1 hojttaler. PDFmanualer.dk sikrer, at du hurtigt kan finde den manual, du leder efter. Vores database indeholder mere end 1 million PDFmanualer fra mere end 10.

000 mrker. Hver dag tilfojer vi de nyeste manualer, sa du altid kan finde det produkt, du leder efter. Det er meget simpelt du skal bare indtaste mrke og produkttype i sogefeltet og du kan straks se den manual du onsker, online og gratis. PDFmanualer. dk Hvis du fortstter med at bruge dette site vil vi antage at du er indforstaet med det. Ls mere Ok. Used GoodIf you want us to ship to one of the above please contact us and we will give you an estimated shipping cost.Please try again.Please try again.Please choose a different delivery location.Page 1 of 1 Start over Page 1 of 1 In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. This item is eligible for FREE tech support for 90 days from the date of delivery. Over the phone or chat, our trained technicians can help you set up, configure, connect, and troubleshoot so you can start enjoying your new purchase. Get in touch with tech support by going to your Orders page, and klikcing on Get Product Support. Learn more Amazon Business For businessonly pricing, quantity discounts and FREE Shipping. Register a free business account Please try your search again later.Hook it up to this Bose CineMate Digital Home Theater Speaker System and enjoy topoftheline, full range audio!This 2.1 channel speaker set is designed to work with your TV and video components, such as a DVD player or VCR. It even comes with a universal remote control, so that you can control all of your entertainment devices with a single remote. Its easy to use and easy to setup, too. Thats right, no confusing installation with the CineMate. It comes with intuitive oneway connectors, so youll be enjoying that multichannel sound in no time. Order the Bose CineMate Digital Home Theater Speaker System today!Equipped with two front speakers and a compact Acoustimass module, this Bose speaker system facilitates easy installation with just four intuitive connections.

Moreover, you can experience your favorite shows come alive by connecting with this stereo speaker system to your TV. Thanks to the proprietary TrueSpace digital processing circuitry, this Bose speaker system reproduces clear and distortionfree sound aided by its audio channels. What's more, you can listen to clear, soft sounds in a movie, as the powerful Bose Cinemate speaker supports the digital dynamic range speaker compression circuitry. Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Please try again later.The CineMate is the perfect unit to add theater sound to an office, bedroom, or apartment where a larger, more powerful system is not realistic due to space or sound output requirements. The CineMate is simple and straight forward to setup. As with any system, location of the speakers is important. Locate the small front speakers to the sides of the TV screen, the subwoofer placement is not critical more later, but because the amplifier and audio connections are located in the subwoofer, it must be placed fairly close to the TV unless you use longer cables from the audio out of the TV and then you are still limited by the length of the speaker cables which have custom connectors molded on. The front speakers provide sharp, accurate sound, the bass is good without being over powering. No, you arent going to feel the bass in your gut, but then this system was never intended to do so. Several reviewers were disappointed with the bass response; even though subs are nondirectional, their output can be influenced by several factors within the listening area. Try turning the sub unit, sliding it further way from a wall or closer to it.It was supereasy to set up, too. The hardest part was just getting it out of the box and that was easy!.

Anyway, the sound quality is nice and a huge jump from the regular TV soundwhich its a DLP and the sound is okay, but this just gives it a much nicer quality. Also, for the price you cant beat it, considering its a Bose. We also have the 7speaker system and although the sound is better on that, youre not paying a few grande for this set. I totally recommend this for those who dont have the

money to chunk down on a bigger set, or for those like us who dont have a good floorplan for running surround sound in this room. There are plenty of good reviews already, I just wanted to highlight 2 things 1 if you use a Samsung BDP2500 1080p Bluray Disc Player or, presumably, any Samsung Bluray player the universal remote pause button does not function. 2 ignore the folks who say that, since this isnt driven by your digital output, this is not a worthwhile system. I have a Bose 321, in ear headphones, radio, speakers in my SUV and just recently the Cinemate system. The Bose Cinemate theater speaker system is a must have if you want to upgrade the sound of your TV, DVD and or VCR output. There is ease of setup and operation with sound worthy of comfort in any small room. I have mine hooked up in my bedroom. I have not heard complaints from my neighbors as yet, but Ive noticed that my wife has begun to crank up the volume as well. Once the system is set up there is nothing to do but to turn it on and off as desired. The television speakers are turned off during setup, so your equalizer settings of your TV provide the desired Bass and treble. I have had to reduce the base and volume settings while listening to some CDs, but other than that I just turn it on as needed. An interesting feature is the universal nature of the remote when correctly setup. One can control other devices with the Cinemate remote. Pick one up and be prepared for a pretty lively room. I realize in many ways this is poor praise for such an excellent system which is a supplement to a TV speaker.

So this system is a blessing. I did not seek exceptional reproduction of TV but to listen normally and not miss the blurred sounds. It does the job. Bose is a great telephone information and help company. They actually hold your telphonic hand. AWESOME, ACCURATE, sound !! All I can say about those that are giving this a negative rating is that they must NOT be able to follow directions or have a lame set up to begin with. If you want great accurate sound this is for you. The Bose acustimass simply kicks ass when called upon. I should have read the specs more carefully. Had a difficult time setting it up. Had to purchase a converter box converts analog RCA cables to optical cable. Box worked fine. I wish the woofer provided more base.