



File Name: boss chromatic tuner tu-3 manual.pdf

Size: 3666 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 9 May 2019, 23:11 PM

Rating: 4.6/5 from 734 votes.

Status: AVAILABLE

Last checked: 5 Minutes ago!

In order to read or download boss chromatic tuner tu-3 manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with boss chromatic tuner tu-3 manual . To get started finding boss chromatic tuner tu-3 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

boss chromatic tuner tu-3 manual

Stay up to date with Roland news, artists, promotions, events, and more. Provides an overview of key features, functions and operational tips. The BOSS Worldwide Social Network keeps you connected to the latest products, exciting events, and much more. Stay up to date with Roland news, artists, promotions, events, and more. Provides an overview of key features, functions and operational tips. The BOSS Worldwide Social Network keeps you connected to the latest products, exciting events, and much more. In no event shall Roland Corporation be liable to endusers for any damages whatsoever, including but not limited to financial damages for any loss of profits or information arising from the use of, or inability to use this updater. The foregoing provision is effective even if Roland Corporation has been advised of the possibility of such damages. Please read carefully the terms of this License Agreement before installing or using the SOFTWARE. By installing, copying, or starting the use of the SOFTWARE, you hereby consent to the terms of this License Agreement. Use of the SOFTWARE shall include loading the SOFTWARE into temporary memory i.e., RAM or installing the SOFTWARE into storage media i.e., hard disk of the computer on which you will use the SOFTWARE. Therefore, you must treat the SOFTWARE like any other copyrighted material i.e., a book or a CD. All rights that are not provided for herein are reserved by Roland. But you may permanently transfer the SOFTWARE and accompanying printed materials provided you retain no copies of the Software and recipient agrees to the terms of this License Agreement. If the SOFTWARE has been updated or upgraded, any transfer of the SOFTWARE must include the most recent update and all prior versions. You shall not use the remaining forms of media on another computer. Please read the instructions completely, and please note that you should use the SOFTWARE AT YOUR OWN RISK. <http://www.almar-bus.pl/userfiles/cradlepoint-1200b-manual.xml>

- **boss chromatic tuner tu-3 manual, boss chromatic tuner tu-3 instructions, boss tu-3 chromatic tuner pedal manual, boss tu-3 chromatic tuner pedal with bypass manual, 1.0, boss chromatic tuner tu-3 manual, boss chromatic tuner tu-3 instructions, boss tu-3 chromatic tuner pedal manual, boss tu-3 chromatic tuner pedal with bypass manual.**

In no event shall Roland be liable to endusers for any damages whatsoever, including but not limited to financial damages for any loss of profits or information arising from the use of, or inability to use this product. The foregoing provision is effective even if Roland has been advised of the possibility of such damages. Even if the SOFTWARE has any material, verifiable, and reproducible program errors, Roland shall have no liability to modify such errors. Upon such termination, you shall immediately stop using the SOFTWARE. All rights reserved. It can be used to accurately tune electric and bass guitars in various environments for applications such as live stage, theater, rehearsals, and more. It is also quite common that customers throw out Try Google Search! Manual Coles Microphones 4038 Stereo Mount for Studio Ribbon 4038 SM Posted by Ruth 20200810 180004 Coles 4038 stereo mount. Peavey Peavey Delta Blues 115 Tweed 30 watt Guitar Amp Peavey Delta Blues 115 Tweed Tube Guitar Amplifier 03327810 Posted by 20200808 235004 please pdf the manual on this amp. Additionally, in order to feel assured that you have gained a good grasp of every feature provided by your new unit, Owner's manual. CENT display The LED that is lit will be further toward the left as the input pitch is flat, and further toward the right as the input pitch is sharp. When this switch is first pressed, the meter will blink to indicate the current mode. When you are not using the tuner, pull the plug out of the input jack. 10. OUTPUT jack Connect your amp or another effect unit to this jack. Even with the volume all the way down, you may still hear some

sound when the power is switched on, but this is normal, and does not indicate a malfunction. If you are using flat tuning semitone down make “. If you are using flat tuning semitone down make “. If you wish to leave the standard pitch at a setting of other than 440 Hz, you can use the following procedure to memorize the standard

pitch.<http://todoferdistribuciones.com.co/userfiles/cradle-manager-manual.xml>

Release the switch. 4. The demo will continue until you turn the power off and on again, or until you operate the pedal switch. Replace the battery following the steps below. Battery Snap Cord Battery Snap 9V Battery 1. First, tune normally to get each string in tune. Then refer to the following tables and adjust each string to the appropriate note name. Other AC adaptors may use a different polarity, or be designed for a different voltage, so their use could result in damage, malfunction, or electric shock. FEDERAL COMMUNICATIONS COMMISSION RADIO FREQUENCY INTERFERENCE STATEMENT This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. Cookie Policy To inquire if this item is available in one of our stores, please call 888.653.1184 or chat with us. Housed in a tanktough BOSS stompbox body, the TU3 features a smooth 21segment LED meter with a HighBrightness mode that cuts through the harshest outdoor glare. The TU3 incorporates a convenient Note Name Indicator that can display notes of 7string guitars and 6string basses, while the FlatTuning mode can support up to six halfsteps. It's the newstandard tuner that no guitarist or bass player should be without! Be the first! That's where you come in. Let the pro audio world hear your voice with a review of the Boss TU3 Chromatic Tuner Pedal. Once you submit your review, please check your email and verify your address to have it posted. Vintage King can help answer any and every question to help you make the right decisions for your sound. Fill out the form below and we'll be in contact with you shortly. We're willing to work on it! Please fill out the form below with your contact information. Once the form is submitted, a Vintage King Audio Consultant will contact you as soon as possible with our best price on this product. This was my first! I only wish I discovered you years ago! I will never hesitate to do.

Even if chocolate chip is on your mind, our cookies make an important contribution to a great shopping experience. They help us to show you relevant offers, remember your settings to ease navigation on our website and alert us when the website is slow or unstable. You can view and manage further details and options here. Always with customised added value for musicians. Close Service Contact us Help Of these, 1603 customers have written no texts or given their feedback in another language. 4 240 Customers 240 customers have given this product a 4star rating. Of these, 229 customers have written no texts or given their feedback in another language. 3 16 Customers 16 customers have given this product a 3star rating. Of these, 13 customers have written no texts or given their feedback in another language. 2 3 Customers 3 customers have given this product a 2star rating. Excellent accuracy and note acquisition, even for notes on a bass too low to be deemed safe for your trousers. Feels durable and safe to give a good whacking with your foot when using the mute function. Doesn't seem to drain battery life either. My only gripe is that for a top of the range tuner, at quite a few pennies, you're buying literally just a box. No power supply, no case. That's just the way with Boss; but it is the only thing that really holds it back. Send report Total features quality handling 100% satisfied SirDimitriosOfAthens, 10.05.2020 Best item in my boss pedalboard. In live performances, I only take a rapid look to tune the guitar. Send report Total features quality handling Cockroaches and Boss pedals. Dr Bassman, 02.04.2020 To be honest, I'm not sure what to say about this item. Hence, I can only tell you what you already know If you need a tuner, buy a Boss. PS I can't actually verify the cockroach story, but I am building myself an igloo out of Boss pedals so, when the time comes. Send report Total features quality handling Industry standard. Either way, it works well.

Clear display in daylight or on a dark stage and with more steps than the tu2 even more accurate. Power from the 9v battery it lasts months or as part of your board setup on mains it doesn't load the

psu too much so it can tag on the end of a chain of pedals. I have never needed to switch it to any of its other modes. Construction is excellent. I bought a second one as it was a pain not having another to use when tuning guitars after maintenance and the kids had the only one with them. Thomann has the best price in Europe, even with the shipping to the UK. Send report Read all 893 reviews Rate product Standard Delivery Times Guitar Accessories We investigate some of the many accessories available for both guitar and bass. Please try again. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Please try your search again later. You can edit your question or post anyway. Housed in a tank-tough BOSS stompbox body, the TU3 chromatic tuner features a smooth 21-segment LED meter with a High-Brightness mode that cuts through the harshest outdoor glare. AccuPitch Sign gives you pinpoint visual verification that tuning is complete. The BOSS TU3 tuner incorporates a convenient Note Name Indicator that can display notes of 7-string guitars and 6-string basses, while the Flat-Tuning mode can support up to 6 half-steps. It's the kind of instrument pedal tuner that no performing guitarist or bass player should be without. Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers and factors that establish reviewer trustworthiness. Please try again later. I've held off buying one for ages and finally decided I needed to finish my pedal board with one.

It has multiple tuning modes and display options, will easily deal with 7-string guitars and 5-string basses, and will allow drop tunings directly from the front panel using the mode control. This means I can have two FX chains behind it, in my case one vintage and one modern. Fortunately for me, I always intended to power it from a power brick in my case a TrueTone 1Spot using the adapter cable that TrueTone provides, attached to an outlet that can provide 12v. The fact that it can pass along power to other Boss pedals is a major plus, and it will even fool older Boss pedals because I believe it steps down the power to conform to older pedals. The display can be switched to a higher brightness so that it's visible in sunlight, but the power draw of the pedal really leaps up if you do, from 30 milliamps to 85 milliamps. If you're daisy-chaining other Boss pedals using the TU3's passthru power you'll need to bear in mind that there will be less power available for those pedals in the daisy-chain. Similarly you will need to allow for this if you're using a power brick PSU and switch to high brightness now and then. The enclosure is like all Boss compact pedals tougher than boots and with everything, especially the battery compartment, easy as anything to access. It comes with a battery installed that has been used for testing. You're recommended to keep a battery in there it isn't being used if there's no instrument cable in the input but since I don't play live I just removed it. How does it lock on to the notes. Phenomenally well, quick even on the low B on both 7-string guitar and 5-string bass. I have a Korg Pitchblack rack tuner that I've long considered to be the canines cojones, and this definitely is the equal of that unit, and takes the capabilities a bit further with features like the various flattening options. It's used all the time, and the option to use it on two signal paths makes some rudimentary pedal routing hacks available. Sorry, we failed to record your vote.

Please try again The product was in fine condition and fully working the only problem is when tuning only my low E string it was a fraction flat compared to all my other tuners I also used several guitars to compare encase it was my intonation out but for some reason the boss tuner would tune up slightly flat and out of tune on the low E. This resulted in me sending it back and getting a Korg pitch black instead which is absolutely perfect, I know a lot of musicians who use the Boss Tu3 and had no problems with it so unless I was unlucky and got a faulty one I don't know but either way the korg is way cooler and cheaper. Sorry, we failed to record your vote. Please try again Sorry, we failed to record your vote. Please try again Some subtle changes over the decades to improve it slightly but I regard these units as lifetime purchases. Buy one and it's the only one you will ever need. So easy to use. Good and bright for dark stages and it cuts your signal to enable background tuning. This also invaluable when switching guitars. The TC Polytune is the only one that ever comes close this

pedal. But I still have my original Boss on my small board and now this Boss tu3 on my main. This will serve you well for many years folks. Sorry, we failed to record your vote. Please try again Hes very pleased with it. Sorry, we failed to record your vote. Please try again The batteries drain down after only a few hours. I had to wait until today Monday to borrow and try an external 9volt lead. The tuner functions are excellent and it appears to work OK with a lead but I prefer to use a battery. Sorry, we failed to record your vote. Please try again Built to withstand a nuclear explosion. WARNING Buy a mains power supply at the same time as if you leave your guitar plugged into it over night even a Duracell battery will be flat by morning. If a jack is in the input socket the battery is on. Mains supply is about 8 which is only the cost of two batteries!

Sorry, we failed to record your vote. Please try again Does its job with a perfect solid and a in my opinion better display than many it is being compared to. Great feature that I didnt realise it had was a Boss PSA 9v output to power other pedals if your main power supply doesnt have enough power. Nice feature. Sorry, we failed to record your vote. Please try again Would highly recommend. Sorry, we failed to record your vote. Please try again Not surprising, given that its Boss. As an acoustic guitarist, I prefer the clipon versions, but I use this when Im gigging live and mostly it does the job. Not great when using multiple tunings. It gets a bit confused, and has left me a little red faced on a few occasions. Sorry, we failed to record your vote. Please try again What else can you say. Very rugged, easy to use, and will last a lifetime if looked after. Well done Boss. Sorry, we failed to record your vote. Please try again Options to tune silently just using the light display or Bypass to hear yourself tuning. Make sure you always carry a spare 9v battery or 9v lead in case battery fails. Would really recommend this product. Sorry, we failed to record your vote. Please try again Superb and I had my new one in a couple of days! Sorry, we failed to record your vote. Please try again. Please try again. Please try again. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. In order to navigate out of this carousel please use your heading shortcut key to navigate to the next or previous heading. Register a free business account Please try your search again later. Everything you need to start playing immediately comes in one box. Save yourself the hassle and save some money while youre at it. Picks are included so you can start playing right out of the box. A power supply is included so you can plug in and play right away. An instrument cable is included so you have an extra.

A patch cable is included so you can chain your pedals together. An Austin Bazaar polishing cloth is included so you can keep your new instrument in mint condition. The worlds topselling stage tuner, the Boss TU2, evolves and improves with the debut of the new TU3. Housed in a tanktough Boss stompbox body, the TU3 features a smooth 21segment LED meter with a HighBrightness mode that cuts through the harshest outdoor glare. Its the newstandard tuner that no guitarist or bass player should be without. Amazon calculates a product's star ratings based on a machine learned model instead of a raw data average. The model takes into account factors including the age of a rating, whether the ratings are from verified purchasers, and factors that establish reviewer trustworthiness. Please try again later. M. Marks Top Contributor Country Music 5.0 out of 5 stars Example when I start practicing I turn the air conditioner and it's amazing that after an hour retuning is required. Plus we all know if you beat on the strings for an hour or two you bound to need to adjust a couple. In any case hope it lasts a long time it really makes things easier. I am a beginning guitar player and looper. I wanted a tuner as one of the beginning pedals for my board. From what I read, you just cant beat Boss, or at least you wont be disappointed. Solid and dependable so far. Twice live my pedal died and theres no thru once its dead. Then, not only is it dead, but you cant just toss a 9v in and keep playing. Skip the battery and go hard wired. Tuner was brand new and excellent. A friend paid more just for the tuner so seems like a great value pack. It's nice to easily look at the tuner while playing and having the ability to mute while you tune up is a great feature. The TU12 and TU12h were originally designed to fit in the cavity near the handle of the Boss 6pedalunit, the BCB60. From these previous electronic tuners we now arrive at the TU3.

How this footswitch works is dependent on the output jack used. Use this when you don't want people to hear you tuning up. That means that whether the tuner is on or off, the instrument signal will always be going out on this jack. Use this when you don't care about people hearing you tune up. The newer TU3w, Waza Craft Chromatic Tuner allows the musician to turn the buffer on and off, as desired. Using this mode is simple enough: play a note, and the pedal will detect the note, and show which note is being played in the digital display. One on the left side of the pedal face pointing right, the other on the right side of the pedal pointing left. If your pitch is flat, the left arrow will light up, telling you that the pitch needs to increase. If your pitch is sharp, the right arrow will light up, telling you to tune down. Reproduced here under Fair Use. There are two tuning modes and both work well, they're just configured differently to cater to different player preferences. In this tuning mode, the lights in the Tuning Indicator act almost like a needle in a VU meter. The more extremely flat or sharp that the note that is detected by the TU3, the further the light indicator needle will be from the center of the tuning indicator. A couple of lights from each side of the tuning indicator will converge in the center of the tuning indicator, and the light of the indicator will change from red to yellowgreen, indicating that the note is tuned properly. The flatter or sharper that notes are tuned, the faster the lights on the tuning indicator will rotate. As the note gets closer to the correct pitch, the rotation of the lights will slow down. The tuning indicator section will briefly display 56 vertical bands to indicate you're in high brightness mode. It's not an effect that will change the signal. This means no phase inversion from the TU3. The closest schematic that we've been able to muster is from a first edition TU2 service manual issued by RJA from Japan.

Since the circuitry for the TU2 is an antecedent to the TU3, and likely very close, we've included it to aid in possible troubleshooting. [Click here](#) Your zip code will be used to confirm that your items qualify. Expedited shipping is the only way to guarantee a specified delivery date. Housed in a tank-tough BOSS stompbox body, the TU3 chromatic tuner features a smooth 21-segment LED meter with a High Brightness mode that cuts through the harshest outdoor glare. Questions? Call! Some exclusions apply. Where does it ship? Learn More about Pro Covage Opens in new window This email will include a product link and directions for downloading. We offer international shipping to over 100 countries worldwide. Learn More Learn More If you're looking for a virtually new instrument in possibly less-than-perfect packaging, this is a great value. It looks and plays like new and may be considered an equivalent to display units found in retail stores. Housed in a tank-tough BOSS stompbox body, the TU3 chromatic tuner features a smooth 21-segment LED meter with a High Brightness mode that cuts through the harshest outdoor glare. It's the kind of instrument pedal tuner that no performing guitarist or bass player should be without. These sections provide important information concerning the proper operation of the unit. Additionally, in order to feel assured that you have gained a good grasp of every feature provided by your new unit, this manual should be read in its entirety. The manual should be saved and kept on hand as a convenient reference. A battery is supplied with the unit. The life of this battery may be limited, however, since its primary purpose was to enable testing. How to Use the Tuner 1. Connect the guitar or bass you want to tune to the INPUT jack. This switches on the power. 2. Press the pedal switch to turn the tuner on. The CHECK indicator will light. 3. Play a single note on your guitar or bass, and tune it.

The note name or string number closest to the tone being played appears in the display. Convenient Functions. On The meter lights stream to the center from the left and right. MODE button Raises the reference pitch by 1 Hz. CENT display The meter lights farther toward the left as the pitch gets flatter, or farther toward the right as the pitch gets sharper. Note indicator 6. MODE Button The tuning mode changes each time you press the MODE button. This jack will always output the signal from the instrument connected to the Input jack. The maximum output current is listed in the OUTPUT field of the label affixed to the adaptor itself. 13. AC Adaptor Jack Accepts connection of an AC Adaptor PSA series optional. Replace the battery as soon as possible. Changing the Battery When the indicator goes dim or no longer lights while the effect is on, it means that

the battery must be replaced. The storefront display appears. The storefront display remains until you turn the TU 3's power off and then on again, or until you press the Pedal switch. The note name is displayed. Chromatic flat Lets you tune one semitone lower or two semitones lower 2. Guitar Lets you tune by guitar string numbers. The guitar string number is displayed. 7th string is displayed as "7." Guitar flat Lets you tune one semitone lower or anywhere from two to six semitones lower 26. Bass Lets you tune by bass string numbers. The bass string number is displayed. HiC string is displayed as "C," Lo B string is displayed as "b." Bass flat Lets you tune one semitone lower or two semitones lower 2, or three semitones lower 3. Diese Abschnitte enthalten wichtige Informationen über die korrekte Bedienung des Gerätes. Um einen vollständigen Überblick über alle Funktionen des Gerätes zu erhalten, sollten Sie diese Bedienungsanleitung vollständig durchlesen.

Bewahren Sie die Anleitung an einem sicheren Platz auf und verwenden Sie diese zu Referenzzwecken. Im Lieferumfang des Gerätes ist eine Batterie enthalten. Die Lebensdauer dieser Batterie kann jedoch eingeschränkt sein, da ihr Hauptzweck darin besteht, Produkttests zu ermöglichen. Die wichtigsten Features. Verwendung des Stimmgerätes 1. Schließen Sie die Gitarre bzw. Die CHECK-Anzeige leuchtet auf. 3. Schlagen Sie einen einzelnen Ton auf Ihrer Gitarre oder Ihrem Bass an und stimmen Sie. Die Tonbezeichnung oder die Saitennummer des Tons, der dem gespielten Ton am nächsten ist, erscheint im Display. Stimmen Sie das Instrument so lange, bis beide Pfeile der Richtanzeige leuchten und die mittlere LED der Tonhöhenanzeige grün aufleuchtet Centanzeige. Die Tonhöhenanzeige bewegt sich weiter nach links, je mehr die Tonhöhe sinkt bzw. Praktische Funktionen. Ein Die LEDs der Tonhöhenanzeige bewegen sich von links und rechts zur Mitte. MODE Taste Erhöht die Referenztöne um 1 Hz. STREAM Anzeige Lauflicht Die LEDs der Anzeige bewegen sich als Lauflicht nach links, wenn die gespielte Tonhöhe zu tief ist, oder nach rechts, wenn sie zu hoch ist. Notenanzeige 6. MODE Taste Bei jedem Drücken der MODE Taste wird ein anderer Stimmmodus eingestellt. Diese Buchse gibt immer das Signal des mit der Eingangsbuchse verbundenen Instruments aus. Bei dem einen beträgt die maximale Stromabgabe 200 mA 0, 2 A, bei dem anderen 500 mA 0, 5 A. Wenn Sie über das PC S20 a Verteilerkabel mehrere Effektgeräte mit Stromversorgung, achten Sie unbedingt darauf, dass die Gesamtstromaufnahme aller Effekte in Kl. TU 3 die Leistung des Netzadapters nicht überschreitet. Die Stromaufnahme der einzelnen Effekte finden Sie in der jeweiligen Anleitung. 13. Netzadapterbuchse Ermöglicht den Anschluss eines Netzadapters PSASerie als Zubehör erhältlich.

Die Verwindung von Anschlusskabeln mit Widerstand kann dazu führen, dass der Signalpegel sehr niedrig oder sogar unhörbar ist. Beim Einschalten Schalten Sie den Gitarrenverstärker zuletzt ein. Ersetzen Sie die Batterie so bald wie möglich. Auswechseln der Batterie Wenn die Anzeige bei eingeschaltetem Effekt schwach wird oder gar kein Licht mehr zu sehen ist, muss die Batterie ersetzt werden. Der TU3 zeigt selbstständig verschiedene Stimmvorgänge zur Demonstration im Ladengeschäft. Der Notennamen wird angezeigt. Chromatic flat Hiermit können Sie einen b bzw. Guitar flat Hiermit können Sie einen b bzw. Bass Ermöglicht das Stimmen nach Basssaitennummern. Bass flat Hiermit können Sie einen b, zwei 2 oder drei 3 Halbtöne tiefer stimmen. Ces sections fournissent d'importantes informations relatives au bon fonctionnement de l'appareil. En outre, pour vous garantir la maîtrise parfaite des différentes fonctions proposées par votre appareil, il est nécessaire de lire ce manuel dans son intégralité. Vous devez conserver ce manuel sous la main afin de pouvoir vous y reporter au besoin. Une pile est fournie avec l'appareil. La durée de vie de cette pile peut cependant être limitée car elle est essentiellement destinée à tester l'appareil. Principales fonctionnalités. Utilisation de l'accordeur 1. Branchez la guitare ou la basse à accorder à la prise INPUT. Ceci met la pédale sous tension. 2. Appuyez sur le commutateur à pédales pour activer l'accordeur. Le voyant CHECK s'allume. 3. Jouez une note sur votre guitare ou votre basse, et accordez-la. Le nom de la note ou le numéro de la corde

la plus proche du ton joué s'affiche. Fonctions pratiques. Activez le signal lumineux produit par les voyants du vumètre converge de la gauche et de la droite vers le centre. Bouton MODE Augmente le diapason de référence par incréments de 1 Hz.

Affichage CENT Plus le son est bas, plus le vumètre s'allume vers la gauche; plus le son est aigu, plus le vumètre s'allume vers la droite. Affichage STREAM Le signal lumineux produit par les voyants du vumètre converge vers la gauche pour indiquer que la note produite est trop basse, et vers la droite pour indiquer qu'elle est trop haute. Cette prise se met toujours le signal en provenance de l'instrument branché sur la prise INPUT. Si vous utilisez le PCS 20A pour alimenter des appareils compatibles avec les adaptateurs PSA, assurez-vous que la consommation de courant totale de tous les appareils y compris le TU 3 ne dépasse pas le courant de sortie maximal de l'adaptateur utilisé. Le courant de sortie maximal est indiqué dans le champ OUTPUT de l'étiquette située sur l'adaptateur. 13. Connecteur de l'adaptateur secteur Permet le branchement d'un adaptateur secteur série PSA disponible séparément. Ainsi, vous pourrez continuer à jouer même si le cordon de l'adaptateur secteur se débranche accidentellement de l'appareil. En cas d'utilisation de câbles de connexion comportant des résistances, le volume sonore risque d'être très faible, voire inaudible. Lors de la mise sous tension allumez votre ampli de guitare en dernier. Remplacez la pile dès que possible. Changement de la pile Lorsque l'intensité lumineuse du voyant baisse ou que ce dernier ne s'allume plus alors que l'effet est activé, cela signifie que la pile doit être remplacée. L'affichage virtuel apparaît. L'affichage virtuel reste actif jusqu'à ce que vous mettiez l'accordeur TU3 hors tension puis à nouveau sous tension, ou jusqu'à ce que vous appuyiez sur le commutateur à pédale. La note est trop basse La note est juste La note est trop haute Mode Explication État de l'indicateur Chromatique Vous permet d'accorder l'ensemble des douze notes de l'échelle chromatique contenues dans une octave.